



ASME B16.10 VALVE FACE TO FACE & END TO END DIMENSIONS

BALL VALVES

Valve Size Inch (mm)	FULL AND REDUCED BORE									FULL BORE						
	CLASS 150			CLASS 300			CLASS 600			CLASS 600			CLASS 600			
	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring and Groove	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove	
2 (50)	7 (177.8)	8 1/2 (215.9)	7 1/2 (190.5)	8 1/2 (215.9)	8 1/2 (215.9)	9 1/8 (231.8)	11 1/2 (292.1)	11 1/2 (292.1)	11 5/8 (295.3)	7 1/2 (190.5)	9 1/2 (241.3)	8 (203.2)	10 1/8 (257.2)	13 (330.2)	13 (330.2)	13 1/8 (333.4)
2 1/2 (65)	7 1/2 (190.5)	9 1/2 (241.3)	8 (203.2)	9 1/2 (241.3)	9 1/2 (241.3)	10 1/8 (257.2)	13 (330.2)	13 (330.2)	13 1/8 (333.4)	8 (203.2)	11 1/8 (282.6)	11 1/8 (282.6)	11 3/4 (298.5)	14 (355.6)	14 (355.6)	14 1/8 (358.8)
3 (80)	8 (203.2)	11 1/8 (282.6)	8 1/2 (215.9)	11 1/8 (282.6)	11 1/8 (282.6)	11 3/4 (298.5)	14 (355.6)	14 (355.6)	14 1/8 (358.8)	9 (228.6)	12 (304.8)	9 1/2 (241.3)	12 5/8 (320.7)	17 (431.8)	17 (431.8)	17 1/8 (435.0)
4 (100)	9 (228.6)	12 (304.8)	9 1/2 (241.3)	12 (304.8)	12 (304.8)	12 5/8 (320.7)	17 (431.8)	17 (431.8)	17 1/8 (435.0)	15 1/2* (393.7)	18 (457.2)	16 (406.4)	16 1/2 (419.1)	22 (558.8)	22 (558.8)	22 1/8 (562.0)
6 (150)	15 1/2* (393.7)	18 (457.2)	16 (406.4)	15 7/8 (403.2)	18 (457.2)	16 1/2 (419.1)	22 (558.8)	22 (558.8)	22 1/8 (562.0)	20 1/2* (520.7)	24 (609.6)	22 1/2 (571.5)	23 (584.2)	31 (787.4)	31 (787.4)	31 1/8 (790.6)
8 (200)	18* (457.2)	20 1/2* (520.7)	18 1/2 (469.9)	19 3/4 (501.7)	20 1/2 (520.7)	20 3/8 (517.5)	26 (660.4)	26 (660.4)	26 1/8 (663.6)	22* (558.8)	25* (635.0)	24 1/2 (622.3)	25 (650.8)	33 (838.2)	33 (838.2)	33 1/8 (841.4)
10 (250)	21* (533.4)	22* (558.8)	21 1/2 (546.1)	22 3/8 (568.3)	22 (558.8)	23 (584.2)	31 (787.4)	31 (787.4)	31 1/8 (790.6)	27 (685.8)	30 (762.0)	27 1/2 (698.5)	30 (762.0)	35 (889.0)	35 (889.0)	35 1/8 (892.2)
12 (300)	24* (609.6)	25* (635.0)	24 1/2 (622.3)	25 1/2 (647.7)	25 (558.8)	26 1/8 (663.6)	33 (838.2)	33 (838.2)	33 1/8 (841.4)	30 (762.0)	33 (838.2)	30 1/2 (774.7)	33 (838.2)	39 (990.6)	39 (990.6)	39 1/8 (993.8)
14 (350)	27 (685.8)	30 (762.0)	27 1/2 (698.5)	30 (762.0)	30 (838.2)	33 5/8 (854.1)	39 (990.6)	39 (990.6)	39 1/8 (993.8)	33 (838.2)	36 (914.4)	34 1/2 (876.3)	36 (914.4)	43 (1092.2)	43 (1092.2)	43 1/8 (1095.4)
16 (400)	30 (762.0)	33 (838.2)	30 1/2 (774.7)	33 (838.2)	33 (838.2)	36 5/8 (930.3)	43 (1092.2)	43 (1092.2)	43 1/8 (1095.4)	36 (914.4)	39 (990.6)	36 1/2 (927.1)	39 (990.6)	47 (1193.8)	47 (1193.8)	47 1/4 (1200.2)
18 (450)	34 (863.6)	36 (914.4)	34 1/2 (876.3)	36 (914.4)	36 (914.4)	39 3/4 (1009.7)	47 (1193.8)	47 (1193.8)	47 1/4 (1200.2)	39 (990.6)	42 (1066.8)	42 1/2 (1079.5)	45 (1143.0)	51 (1295.4)	51 (1295.4)	51 3/8 (1304.9)
20 (500)	36 (914.4)	39 (990.6)	36 1/2 (927.1)	39 (990.6)	39 (990.6)	43 7/8 (1114.4)	51 (1295.4)	51 (1295.4)	51 3/8 (1304.9)	43 (1092.2)	46 (1166.8)	45 (1143.0)	45 7/8 (1165.2)	55 (1397.0)	55 (1397.0)	55 3/8 (1406.5)
22 (550)	—	—	—	43 (1092.2)	43 (1092.2)	43 7/8 (1114.4)	51 (1295.4)	51 (1295.4)	51 3/8 (1304.9)	45 (1143.0)	49 (1244.6)	49 (1244.6)	50 (1270.0)	57 (1447.8)	57 (1447.8)	57 1/2 (1460.5)
24 (600)	42 (1066.8)	45 (1143.0)	42 1/2 (1079.5)	45 (1143.0)	45 (1143.0)	45 7/8 (1165.2)	55 (1397.0)	55 (1397.0)	55 3/8 (1406.5)	49 (1244.6)	53 (1346.2)	53 (1346.2)	54 (1371.6)	61 (1549.4)	61 (1549.4)	61 1/2 (1562.1)
26 (650)	45 (1143.0)	49 (1244.6)	—	49 (1244.6)	49 (1244.6)	50 (1270.0)	57 (1447.8)	57 (1447.8)	57 1/2 (1460.5)	55 (1397.0)	58 (1487.8)	58 (1487.8)	59 (1524.6)	65 (1651.0)	65 (1651.0)	65 1/2 (1663.7)
28 (700)	49 (1244.6)	53 (1346.2)	—	53 (1346.2)	53 (1346.2)	54 (1371.6)	61 (1549.4)	61 (1549.4)	61 1/2 (1562.1)	55 (1397.0)	60 (1524.0)	60 (1524.0)	61 1/8 (1522.6)	70 (1778.0)	70 (1778.0)	70 5/8 (1793.9)
30 (750)	51 (1295.4)	55 (1397.0)	—	55 (1397.0)	55 (1397.0)	56 (1422.4)	65 (1651.0)	65 (1651.0)	65 1/2 (1663.7)	60 (1524.0)	64 (1625.6)	64 (1625.6)	65 1/8 (1654.2)	76 (1930.4)	76 (1930.4)	76 5/8 (1946.3)
32 (800)	54 (1371.6)	60 (1524.0)	—	60 (1524.0)	60 (1524.0)	61 1/8 (1522.6)	70 (1778.0)	70 (1778.0)	70 5/8 (1793.9)	64 (1625.6)	68 (1727.2)	68 (1727.2)	69 1/8 (1755.8)	82 (2082.8)	82 (2082.8)	82 5/8 (2098.7)
34 (850)	58 (1437.2)	64 (1625.6)	—	64 (1625.6)	64 (1625.6)	65 1/8 (1654.2)	76 (1930.4)	76 (1930.4)	76 5/8 (1946.3)	68 (1727.2)	72 (1828.8)	72 (1828.8)	73 1/8 (1852.4)	88 (2238.4)	88 (2238.4)	88 5/8 (2254.3)
36 (900)	60 (1524.0)	68 (1727.2)	—	68 (1727.2)	68 (1727.2)	69 1/8 (1755.8)	82 (2082.8)	82 (2082.8)	82 5/8 (2098.7)	72 (1828.8)	76 (1930.4)	76 (1930.4)	77 1/8 (1953.0)	94 (2381.4)	94 (2381.4)	94 5/8 (2407.3)

* Also available short pattern

BALL VALVES (FULL BORE)

Valve Size Inch (mm)	CLASS 900			CLASS 1500			CLASS 2500		
	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove
	2 (50)	14 1/2 (368.3)	14 1/2 (368.3)	14 5/8 (371.5)	14 1/2 (368.3)	14 1/2 (368.3)	14 5/8 (371.5)	17 3/4 (450.9)	17 3/4 (450.9)
2 1/2 (65)	16 1/2 (419.1)	16 1/2 (419.1)	16 5/8 (422.3)	16 1/2 (419.1)	16 1/2 (419.1)	16 5/8 (422.3)	20 (508.0)	20 (508.0)	21 1/4 (539.8)
3 (80)	15 (381.0)	15 (381.0)	15 1/8 (384.2)	18 1/2 (469.9)	18 1/2 (469.9)	18 5/8 (473.1)	22 3/4 (577.9)	22 3/4 (577.9)	23 (584.2)
4 (100)	18 (457.2)	18 (457.2)	18 1/8 (460.4)	21 1/2 (546.1)	21 1/2 (546.1)	21 5/8 (549.3)	26 1/2 (673.1)	26 1/2 (673.1)	26 7/8 (682.6)
6 (150)	24 (609.6)	24 (609.6)	24 1/8 (612.8)	27 3/4 (704.9)	27 3/4 (704.9)	28 (711.2)	36 (914.4)	36 (914.4)	36 1/2 (927.1)
8 (200)	29 (736.6)	29 (736.6)	29 1/8 (739.8)	32 3/4 (831.9)	32 3/4 (831.9)	33 1/8 (841.4)	40 1/4 (1022.4)	40 1/4 (1022.4)	40 7/8 (1038.2)
10 (250)	33 (838.2)	33 (838.2)	33 1/8 (841.4)	39 (990.6)	39 (990.6)	39 3/8 (1000.1)	50 (1270.0)	50 (1270.0)	50 7/8 (1292.2)
12 (300)	38 (965.2)	38 (965.2)	38 1/8 (968.4)	44 1/2 (1130.3)	44 1/2 (1130.3)	45 1/8 (1146.2)	56 (1422.4)	56 (1422.4)	56 7/8 (1444.6)
14 (350)	40 1/2 (1028.7)	40 1/2 (1028.7)	40 7/8 (1038.2)	49 1/2 (1257.3)	49 1/2 (1257.3)	50 1/4 (1276.4)	—	—	—
16 (400)	44 1/2 (1130.3)	44 1/2 (1130.3)	44 7/8 (1139.8)	54 1/2 (1384.3)	54 1/2 (1384.3)	55 3/8 (1406.5)	—	—	—
18 (450)	48 (1219.2)	48 (1219.2)	48 1/2 (1231.9)	—	—	—	—	—	—
20 (500)	52 (1320.8)	52 (1320.8)	52 1/2 (1333.5)	—	—	—	—	—	—
22 (550)	—	—	—	—	—	—	—	—	—
24 (600)	61 (1549.4)	61 (1549.4)	61 3/4 (1568.5)	—	—	—	—	—	—

GATE VALVES

Valve Size Inch (mm)	CLASS 150			CLASS 300			CLASS 600		
	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove
	2 (50)	7 (177.8)	8 1/2 (215.9)	7 1/2 (190.5)	8 1/2 (215.9)	8 1/2 (215.9)	9 1/8 (231.8)	11 1/2 (292.1)	11 1/2 (292.1)
2 1/2 (65)	7 1/2 (190.5)	9 1/2 (241.3)	8 (203.2)	9 1/2 (241.3)	9 1/2 (241.3)	10 1/8 (257.2)	13 (330.2)	13 (330.2)	13 1/8 (333.4)
3 (80)	8 (203.2)	11 1/8 (282.6)	8 1/2 (215.9)	11 1/8 (282.6)	11 1/8 (282.6)	11 3/4 (298.5)	14 (355.6)	14 (355.6)	14 1/8 (358.8)
4 (100)	9 (228.6)	12 (304.8)	9 1/2 (241.3)	12 (304.8)	12 (304.8)	12 5/8 (320.7)	17 (431.8)	17 (431.8)	17 1/8 (435.0)
6 (150)	10 1/2 (266.7)	15 7/8 (403.2)	11 (279.4)	15 7/8 (403.2)	15 7/8 (403.2)	16 1/2 (419.1)	22 (558.8)	22 (558.8)	22 1/8 (562.0)
8 (200)	11 1/2 (292.1)	16 1/2 (419.1)	12 (304.8)	16 1/2 (419.1)	16 1/2 (419.1)	17 1/8 (435.0)	26 (660.4)	26 (660.4)	26 1/8 (663.6)
10 (250)	13 (330.2)	18 (457.2)	13 1/2 (342.9)	18 (457.2)	18 (457.2)	18 5/8 (473.1)	31 (787.4)	31 (787.4)	31 1/8 (790.6)
12 (300)	14 (355.6)	19 3/4 (501.7)	14 1/2 (368.3)	19 3/4 (501.7)	19 3/4 (501.7)	20 3/8 (517.5)	33 (838.2)	33 (838.2)	33 1/8 (841.4)
14 (350)	15 (381.0)	22 1/2 (571.5)	15 1/2 (393.7)	30 (762.0)	30 (762.0)	30 5/8 (777.9)	35 (889.0)	35 (889.0)	35 1/8 (892.2)
16 (400)	16 (406.4)	24 (609.6)	16 1/2 (419.1)	33 (838.2)	33 (838.2)	33 5/8 (854.1)	39 (990.6)	39 (990.6)	39 1/8 (993.8)
18 (450)	17 (431.8)	26 (660.4)	17 1/2 (444.5)	36 (914.4)	36 (914.4)	36 5/8 (930.3)	43 (1092.2)	43 (1092.2)	43 1/8 (1095.4)
20 (500)	18 (457.2)	28 (711.2)	18 1/2 (469.9)	39 (990.6)	39 (990.6)	39 3/4 (1009.7)	47 (1193.8)	47 (1193.8)	47 1/4 (1200.2)
22 (550)	—	—	—	43 (1092.2)	43 (1092.2)	43 7/8 (1114.4)	51 (1295.4)	51 (1295.4)	51 3/8 (1304.9)
24 (600)	20 (508.0)	32 (812.8)	20 1/2 (520.7)	45 (1143.0)	45 (1143.0)	45 7/8 (1165.2)	55 (1397.0)	55 (1397.0)	55 3/8 (1406.5)
26 (650)	22 (558.8)	34 (863.6)	—	49 (1244.6)	49 (1244.6)	50 (1270.0)	57 (1447.8)	57 (1447.8)	57 1/2 (1460.5)
28 (700)	24 (609.6)	36 (914.4)	—	53 (1346.2)	53 (1346.2)	54 (1371.6)	61 (1549.4)	61 (1549.4)	61 1/2 (1562.1)
30 (750)	24 (609.6)	36 (914.4)	—	55 (1397.0)	55 (1397.0)	56 (1422.4)	65 (1651.0)	65 (1651.0)	65 1/2 (1663.7)
32 (800)	—	—	—	—	—	—	—	—	—
34 (850)	—	—	—	—	—	—	—	—	—
36 (900)	28 (711.2)	40 (1016.0)	—	—	—	—	—	—	—



GATE VALVES

Valve Size	CLASS 900			CLASS 1500			CLASS 2500		
	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove
Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
2	14 1/2 (368.3)	14 1/2 (368.3)	14 5/8 (371.5)	14 1/2 (368.3)	14 1/2 (368.3)	14 5/8 (371.5)	17 3/4 (450.9)	17 3/4 (450.9)	17 7/8 (454.0)
2 1/2	15 (381.0)	15 (381.0)	15 1/8 (384.2)	16 1/2 (419.1)	16 1/2 (419.1)	16 5/8 (422.3)	20 (508.0)	20 (508.0)	20 1/4 (514.4)
3	16 1/2 (419.1)	16 1/2 (419.1)	16 5/8 (422.3)	18 1/2 (469.9)	18 1/2 (469.9)	18 5/8 (473.1)	22 3/4 (577.9)	22 3/4 (577.9)	23 (584.2)
4	18 (457.2)	18 (457.2)	18 1/8 (460.4)	21 1/2 (546.1)	21 1/2 (546.1)	21 5/8 (549.3)	26 1/2 (673.1)	26 1/2 (673.1)	26 7/8 (682.6)
6	24 (609.6)	24 (609.6)	24 1/8 (612.8)	27 3/4 (704.9)	27 3/4 (704.9)	28 (711.2)	36 (914.4)	36 (914.4)	36 1/2 (927.1)
8	29 (736.6)	29 (736.6)	29 1/8 (739.8)	32 3/4 (831.9)	32 3/4 (831.9)	33 1/8 (841.4)	40 1/4 (1022.4)	40 1/4 (1022.4)	40 7/8 (1038.2)
10	33 (838.2)	33 (838.2)	33 1/8 (841.4)	39 (990.6)	39 (990.6)	39 3/8 (1000.1)	50 (1270.0)	50 (1270.0)	50 7/8 (1292.2)
12	38 (965.2)	38 (965.2)	38 1/8 (968.4)	44 1/2 (1130.3)	44 1/2 (1130.3)	45 1/8 (1146.2)	56 (1422.4)	56 (1422.4)	56 7/8 (1444.6)
14	40 1/2 (1028.7)	40 1/2 (1028.7)	40 7/8 (1038.2)	49 1/2 (1257.3)	49 1/2 (1257.3)	50 1/4 (1276.4)	---	---	---
16	44 1/2 (1130.3)	44 1/2 (1130.3)	44 7/8 (1139.8)	54 1/2 (1384.3)	54 1/2 (1384.3)	55 3/8 (1406.5)	---	---	---
18	48 (1219.2)	48 (1219.2)	48 1/2 (1231.9)	60 1/2 (1536.7)	60 1/2 (1536.7)	61 3/8 (1558.9)	---	---	---
20	52 (1320.8)	52 (1320.8)	52 1/2 (1333.5)	65 1/2 (1663.7)	65 1/2 (1663.7)	66 3/8 (1685.0)	---	---	---
22	---	---	---	---	---	---	---	---	---
24	61 (1549.4)	61 (1549.4)	61 3/4 (1568.5)	76 1/2 (1943.1)	76 1/2 (1943.1)	77 5/8 (1971.7)	---	---	---

GLOBE VALVES

Valve Size	RAISED FACE							
	Class 150	Class 300	Class 400	Class 600	Class 900	Class 1500	Class 2500	
Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	
2	8 (203)	10 1/2 (267)	---	11 1/2 (292)	14 1/2 (369)	14 1/2 (368)	17 3/4 (451)	
2 1/2	8 1/2 (215.9)	11 1/2 (292)	---	13 (330)	16 1/2 (419)	16 1/2 (419)	20 (508)	
3	9 1/2 (241)	12 1/2 (318)	---	14 (356)	18 1/2 (470)	18 1/2 (470)	22 3/4 (578)	
4	11 1/2 (292)	14 (356)	---	17 (432)	21 1/2 (546)	21 1/2 (546)	26 1/2 (673)	
6	16 (406)	17 1/2 (444)	19 (485)	22 (559)	24 (610)	27 3/4 (705)	36 (914)	
8	19 1/2 (495)	22 (559)	---	26 (660)	29 (737)	32 3/4 (832)	---	
10	24 1/2 (622)	24 1/2 (622)	---	31 (787)	33 (838)	---	---	
12	27 1/2 (698)	28 (711)	26 (660)	33 (838)	38 (965)	---	---	
14	31 (787)	---	---	---	---	---	---	
16	36 (914)	---	---	---	---	---	---	
18	38 1/2 (978)	---	---	---	---	---	---	

SWING CHECK VALVES

Valve Size	CLASS 150			CLASS 300			CLASS 600		
	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove
Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
2	8 (203.2)	8 (203.2)	8 1/2 (215.9)	10 1/2 (266.7)	10 1/2 (266.7)	11 1/8 (282.6)	11 1/2 (292.1)	11 1/2 (292.1)	11 5/8 (295.3)
2 1/2	8 1/2 (215.9)	8 1/2 (215.9)	9 (228.6)	11 1/2 (292.1)	11 1/2 (292.1)	12 1/8 (308.0)	13 (330.2)	13 (330.2)	13 1/8 (333.4)
3	9 1/2 (241.3)	9 1/2 (241.3)	10 (254.0)	12 1/2 (317.5)	12 1/2 (317.5)	13 1/8 (333.4)	14 (356.6)	14 (356.6)	14 1/8 (358.8)
4	11 1/2 (292.1)	11 1/2 (292.1)	12 (304.8)	14 (356.6)	14 (356.6)	14 5/8 (371.5)	17 (431.8)	17 (431.8)	17 1/8 (435.0)
6	14 (356.6)	14 (356.6)	14 1/2 (368.3)	17 1/2 (444.5)	17 1/2 (444.5)	18 1/8 (460.4)	22 (558.8)	22 (558.8)	22 1/8 (562.0)
8	19 1/2 (495.3)	19 1/2 (495.3)	20 (508.0)	21 (533.4)	21 (533.4)	21 5/8 (549.3)	26 (660.4)	26 (660.4)	26 1/8 (663.6)
10	24 1/2 (622.3)	24 1/2 (622.3)	25 (635.0)	24 1/2 (622.3)	24 1/2 (622.3)	25 1/8 (638.2)	31 (787.4)	31 (787.4)	31 1/8 (790.6)
12	27 1/2 (698.5)	27 1/2 (698.5)	28 (711.2)	28 (711.2)	28 (711.2)	28 5/8 (727.1)	33 (838.2)	33 (838.2)	33 1/8 (841.4)
14	31 (787.4)	31 (787.4)	31 1/2 (800.1)	33 (838.2)	33 (838.2)	33 5/8 (854.1)	35 (889.0)	35 (889.0)	35 1/8 (892.2)
16	34 (863.6)	34 (863.6)	34 1/2 (876.3)	34 (863.6)	34 (863.6)	34 5/8 (879.5)	39 (990.6)	39 (990.6)	39 1/8 (993.8)
18	38 1/2 (977.9)	38 1/2 (977.9)	39 (990.6)	38 1/2 (977.9)	38 1/2 (977.9)	39 1/8 (993.8)	43 (1092.2)	43 (1092.2)	43 1/8 (1095.4)
20	38 1/2 (977.9)	38 1/2 (977.9)	39 (990.6)	40 (1016.0)	40 (1016.0)	40 3/4 (1035.1)	47 (1193.8)	47 (1193.8)	47 1/4 (1200.2)
22	42 (1066.8)	42 (1066.8)	42 1/2 (1079.5)	44 (1117.6)	44 (1117.6)	44 7/8 (1139.8)	51 (1295.4)	51 (1295.4)	51 3/8 (1304.9)
24	51 (1295.4)	51 (1295.4)	51 1/2 (1308.1)	53 (1346.2)	53 (1346.2)	53 7/8 (1368.4)	55 (1397.0)	55 (1397.0)	55 3/8 (1406.5)
26	51 (1295.4)	51 (1295.4)	---	53 (1346.2)	53 (1346.2)	54 (1371.6)	57 (1447.8)	57 (1447.8)	57 1/2 (1460.5)
28	57 (1447.8)	57 (1447.8)	---	59 (1498.6)	59 (1498.6)	60 (1524.0)	63 (1600.2)	63 (1600.2)	63 1/2 (1612.9)
30	60 (1524.0)	60 (1524.0)	---	62 3/4 (1593.9)	62 3/4 (1593.9)	63 3/4 (1619.3)	65 (1651.0)	65 (1651.0)	65 1/2 (1663.7)
36	77 (1955.8)	77 (1955.8)	---	82 (2082.8)	82 (2082.8)	---	82 (2082.8)	82 (2082.8)	---

SWING CHECK VALVES

Valve Size	CLASS 900			CLASS 1500			CLASS 2500		
	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove	Raised Face	Welding End	Ring Groove
Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
2	14 1/2 (368.3)	14 1/2 (368.3)	14 5/8 (371.5)	14 1/2 (368.3)	14 1/2 (368.3)	14 5/8 (371.5)	17 3/4 (450.9)	17 3/4 (450.9)	17 7/8 (454.0)
2 1/2	15 (381.0)	15 (381.0)	15 1/8 (384.2)	16 1/2 (419.1)	16 1/2 (419.1)	16 5/8 (422.3)	20 (508.0)	20 (508.0)	20 1/4 (514.4)
3	16 1/2 (419.1)	16 1/2 (419.1)	16 5/8 (422.3)	18 1/2 (469.9)	18 1/2 (469.9)	18 5/8 (473.1)	22 3/4 (577.9)	22 3/4 (577.9)	23 (584.2)
4	18 (457.2)	18 (457.2)	18 1/8 (460.4)	21 1/2 (546.1)	21 1/2 (546.1)	21 5/8 (549.3)	26 1/2 (673.1)	26 1/2 (673.1)	26 7/8 (682.6)
6	24 (609.6)	24 (609.6)	24 1/8 (612.8)	27 3/4 (704.9)	27 3/4 (704.9)	28 (711.2)	36 (914.4)	36 (914.4)	36 1/2 (927.1)
8	29 (736.6)	29 (736.6)	29 1/8 (739.8)	32 3/4 (831.9)	32 3/4 (831.9)	33 1/8 (841.4)	40 1/4 (1022.4)	40 1/4 (1022.4)	40 7/8 (1038.2)
10	33 (838.2)	33 (838.2)	33 1/8 (841.4)	39 (990.6)	39 (990.6)	39 3/8 (1000.1)	50 (1270.0)	50 (1270.0)	50 7/8 (1292.2)
12	38 (965.2)	38 (965.2)	38 1/8 (968.4)	44 1/2 (1130.3)	44 1/2 (1130.3)	45 1/8 (1146.2)	56 (1422.4)	56 (1422.4)	56 7/8 (1444.6)
14	40 1/2 (1028.7)	40 1/2 (1028.7)	40 7/8 (1038.2)	49 1/2 (1257.3)	49 1/2 (1257.3)	50 1/4 (1276.4)	---	---	---
16	44 1/2 (1130.3)	44 1/2 (1130.3)	44 7/8 (1139.8)	54 1/2 (1384.3)	54 1/2 (1384.3)	55 3/8 (1406.5)	---	---	---
18	48 (1219.2)	48 (1219.2)	48 1/2 (1231.9)	60 1/2 (1536.7)	60 1/2 (1536.7)	61 3/8 (1558.9)	---	---	---
20	52 (1320.8)	52 (1320.8)	52 1/2 (1333.5)	65 1/2 (1663.7)	65 1/2 (1663.7)	66 3/8 (1685.0)	---	---	---
24	61 (1549.4)	61 (1549.4)	61 3/4 (1568.5)	76 1/2 (1943.1)	76 1/2 (1943.1)	77 5/8 (1971.7)	---	---	---



شرکت تدارک گستران انرژی پارس



WAFFER CHECK VALVES (SHORT PATTERN)

Valve Size		Class 150		Class 300		Class 600		Class 900		Class 1500	
Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)
2	(50)	3/4	(19.1)	3/4	(19.1)	3/4	(19.1)	3/4	(19.1)	3/4	(19.1)
2 1/2	(65)	3/4	(19.1)	3/4	(19.1)	3/4	(19.1)	3/4	(19.1)	3/4	(19.1)
3	(80)	3/4	(19.1)	3/4	(19.1)	3/4	(19.1)	3/4	(19.1)	7/8	(22.2)
4	(100)	3/4	(19.1)	3/4	(19.1)	7/8	(22.2)	7/8	(22.2)	1 1/4	(31.8)
6	(150)	3/4	(19.1)	7/8	(22.2)	1 1/8	(28.6)	1 3/8	(34.9)	1 3/4	(44.5)
8	(200)	1 1/8	(28.6)	1 1/8	(28.6)	1 1/2	(38.1)	1 3/4	(44.5)	2 1/4	(57.2)
10	(250)	1 1/8	(28.6)	1 1/2	(38.1)	2 1/4	(57.2)	2 1/4	(57.2)	2 7/8	(73.1)
12	(300)	1 1/2	(38.1)	2	(50.8)	2 3/8	(60.3)	—	—	—	—
14	(350)	1 3/4	(44.5)	2	(50.8)	2 5/8	(66.7)	—	—	—	—
16	(400)	2	(50.8)	2	(50.8)	2 7/8	(73.0)	—	—	—	—
18	(450)	2 3/8	(60.3)	3	(76.2)	3 1/4	(82.6)	—	—	—	—
20	(500)	2 1/2	(63.5)	3 1/4	(82.6)	3 5/8	(92.1)	—	—	—	—

OTHER COMMON FACE TO FACE DIMENSIONS

KNIFE GATE, GATE, BUTTERFLY & DIAPHRAGM VALVES

Inches	(mm)	Diaphragm (BS 5156)	Butterfly (ISO 5752-Short)	Knife Gate	Gate (BS 5150/ AS 3579*)
1/2	(15)	108	—	—	108
3/4	(20)	117	—	—	117
1	(25)	127	—	—	127
1 1/4	(32)	146	—	—	140
1 1/2	(40)	159	33	—	165
2	(50)	190	43	48	178*
2 1/2	(65)	216	46	48	190*
3	(80)	254	46	51	203*
4	(100)	305	52	51	229*
5	(125)	356	56	57	254*
6	(150)	406	56	57	267*
8	(200)	521	60	70	292*
10	(250)	635	68	70	330*
12	(300)	749	78	76	356*
14	(350)	749	78	76	381
16	(400)	—	102	89	406
18	(450)	—	114	89	432
20	(500)	—	127	114	457
22	(550)	—	154	—	—
24	(600)	—	154	114	508



© Copyright PEEPCO.IR - 2022

تمام حقوق متعلق به شرکت تدارک گستران انرژی پارس می باشد

B16.10 ASME Valve F to F Dimensions PEEPCO

